Please check the examination details below before entering your candidate information details below below before entering your candidate information details below be	rmation		
Candidate surname Other names			
Centre Number Candidate Number			
Pearson Edexcel Level 3 GCE			
Time 1 hour 30 minutes Paper reference Paper reference	/4A		
Further Mathematics			
Advanced			
PAPER 4A: Further Pure Mathematics 2			
TATEN 4A. Fultilei Fule Mathematics 2			
You must have: Mathematical Formulae and Statistical Tables (Green), calculator	Total Mark		

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebraic manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 10 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶





1. The group S_4 is the set of all possible permutations that can be performed on the four numbers 1, 2, 3 and 4, under the operation of composition.

For the group S₄

(a) write down the identity element,

(1)

(b) write down the inverse of the element a, where

$$a = \begin{pmatrix} 1 & 2 & 3 & 4 \\ 3 & 4 & 2 & 1 \end{pmatrix} \tag{1}$$

(c) demonstrate that the operation of composition is associative using the following elements

$$a = \begin{pmatrix} 1 & 2 & 3 & 4 \\ 3 & 4 & 2 & 1 \end{pmatrix} \quad b = \begin{pmatrix} 1 & 2 & 3 & 4 \\ 2 & 4 & 3 & 1 \end{pmatrix} \quad \text{and } c = \begin{pmatrix} 1 & 2 & 3 & 4 \\ 4 & 1 & 2 & 3 \end{pmatrix}$$
 (2)

(d) Explain why it is possible for the group S₄ to have a subgroup of order 4 You do not need to find such a subgroup.

Question 1 continued			
	Total for Question 1 is 6 marks)		



2. Matrix M is given by

$$\mathbf{M} = \begin{pmatrix} 1 & 0 & a \\ -3 & b & 1 \\ 0 & 1 & a \end{pmatrix}$$

where a and b are integers, such that a < b

Given that the characteristic equation for M is

$$\lambda^3 - 7\lambda^2 + 13\lambda + c = 0$$

where c is a constant,

(a) determine the values of a, b and c.

(5)

(b) Hence, using the Cayley–Hamilton theorem, determine the matrix \mathbf{M}^{-1}

1	2	١.
t	J	,

Question 2 continued			



Question 2 continued			

(Total for Question 2 is 8 marks)	Question 2 continued	
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
(Total for Question 2 is 8 marks)		
	(Total for Quest	tion 2 is 8 marks)






Figure 1

There are three lily pads on a pond. A frog hops repeatedly from one lily pad to another.

The frog starts on lily pad A, as shown in Figure 1.

In a model, the frog hops from its position on one lily pad to either of the other two lily pads with equal probability.

Let p_n be the probability that the frog is on lily pad A after n hops.

(a) Explain, with reference to the model, why
$$p_1 = 0$$

(1)

The probability p_n satisfies the recurrence relation

$$p_{n+1} = \frac{1}{2}(1 - p_n)$$
 $n \ge 1$ where $p_1 = 0$

(b) Prove by induction that, for $n \ge 1$

$$p_n = \frac{2}{3} \left(-\frac{1}{2} \right)^n + \frac{1}{3} \tag{6}$$

(c) Use the result in part (b) to explain why, in the long term, the probability that the frog is on lily pad A is $\frac{1}{3}$

(1)

Question 3 continued			



Question 3 continued			

Question 3 continued			
	Total for Question 3 is 8 marks)		
	Zuestion o is o marks		



4.	4. (a) Use the Euclidean algorithm to show that 124 and 17 are relatively prime (coprime).		
	(b) Hence solve the equation	(2)	
	124x + 17y = 10	(3)	
	(c) Solve the congruence equation		
	$124x \equiv 6 \bmod 17$		
		(2)	



Question 4 continued	
(To:	tal for Question 4 is 7 marks)
	(



5.	The	locus	of	noints	7	satisfies
J.	1110	iocus	O1	pomis	4	Satisfies

$$|z + ai| = 3|z - a|$$

where a is an integer.

The locus is a circle with its centre in the third quadrant and radius $\frac{3}{2}\sqrt{2}$

Determine

(a) the value of a,

(4)

(b) the coordinates of the centre of the circle.

(Total for Question 5 is 6 marks)
(Total for Question 3 is a marks)



6.	(a)	Determine the	general	solution	of the	recurrence	relation
-----------	-----	---------------	---------	----------	--------	------------	----------

$$u_n = 2u_{n-1} - u_{n-2} + 2^n \qquad n \geqslant 2$$

(4)

(b)	Hence so	lve this	recurrence	relation	given	that u_0	$=2u_1$	and u	a = 3u
(\mathbf{v})	Tichec 30	ive uns	recurrence	TCIation	grven	u_0	$\angle u_1$	and u_{λ}	$1 \mathcal{I}u_2$

Question 6 continued	
(Tota	al for Question 6 is 6 marks)



7. (i) The polynomial F(x) is a quartic such that

$$F(x) = px^4 + qx^3 + 2x^2 + rx + s$$

where p, q, r and s are distinct constants.

Determine the number of possible quartics given that

(a) the constants p, q, r and s belong to the set $\{-4, -2, 1, 3, 5\}$

- (1)
- (b) the constants p, q, r and s belong to the set $\{-4, -2, 0, 1, 3, 5\}$

(1)

- (ii) A 3-digit positive integer N = abc has the following properties
 - *N* is divisible by 11
 - the sum of the digits of *N* is even
 - $N \equiv 8 \mod 9$
 - (a) Use the first two properties to show that

$$a-b+c=0$$

(2)

(b) Hence determine all possible integers N, showing all your working and reasoning.

(4)

Question 7 continued



Question 7 continued

Question 7 continued
(Total for Question 7 is 8 marks)



8. The locus of points z = x + iy that satisfy

$$\arg\left(\frac{z-8-5i}{z-2-5i}\right) = \frac{\pi}{3}$$

is an arc of a circle C.

(a) On an Argand diagram sketch the locus of z.

(2)

(b) Explain why the centre of C has x coordinate 5

(1)

(c) Determine the radius of C.

(2)

(d) Determine the y coordinate of the centre of C.

2	 181

Question 8 continued
(Total for Question 8 is 7 marks)



9.

$$I_n = \int_0^{\frac{\pi}{2}} \sin^n 2x \, \mathrm{d}x$$

(a) Prove that for $n \ge 2$

$$I_n = \frac{n-1}{n} \ I_{n-2} \tag{4}$$

(b) Hence determine the exact value of

$$\int_0^{\frac{\pi}{2}} 64\sin^5 x \cos^5 x \, \mathrm{d}x$$

(3)


Question 9 continued



Question 9 continued

Question 9 continued	
	(Total for Question 9 is 7 marks)





C

Figure 2

Figure 3

Figure 2 shows a picture of a plant pot.

The plant pot has

- a flat circular base of radius 10 cm
- a height of 15 cm

Figure 3 shows a sketch of the curve C with parametric equations

$$x = 10 + 15t - 5t^3$$
 $y = 15t^2$ $0 \le t \le 1$

The curved inner surface of the plant pot is modelled by the surface of revolution formed by rotating curve C through 2π radians about the y-axis.

(a) Show that, according to the model, the area of the curved inner surface of the plant pot is given by

$$150\pi \int_0^1 (2+3t+2t^2+2t^3-t^5) dt$$

(5)

(b) Determine, according to the model, the total area of the inner surface of the plant pot.

(4)

Each plant pot will be painted with one coat of paint, both inside and outside. The paint in one tin will cover an area of $12 \,\mathrm{m}^2$

(c) Use the answer to part (b) to estimate how many plant pots can be painted using one tin of paint.

(2)

(d) Give a reason why the model might not give an accurate answer to part (c).

(1)



Question 10 continued



Question 10 continued

Question 10 continued



Question 10 continued
(Total for Question 10 is 12 marks)
TOTAL FOR PAPER IS 75 MARKS

